




ORACLE
ELEVATOR COMPANY
COMPANY PROFILE




OUR PRODUCTS

HYDRAULIC ELEVATORS

- Rope Hydraulic
- Dual Jack (Single Stage Hole Less)
- LULA (Special Use, Up To 1400lbs)

NOTES

Minimum pit depth: 3' 8" (standard).
 Min. overhead: 12' 4" (ref. clear cab height (H) = 96").
 Maximum travel distance: 70 ft. (Contact Us for travels over 40ft)
 Standard speeds: 100 fpm, 125 fpm, 150 fpm.
 Cab and platform dimensions based on standard wall laminated panels.
 For elevators with parameters different than shown, contact us.




ROPE HYDRAULIC

PASSENGER ELEVATOR

Opening	Front	Front	Front
Capacity (lbs)	2000	2,500	3,000
Width	5'-8" (68")	6'-6" (78")	6'-6" (78")
Depth	4'-3" (51")	4'-4" (52")	5'-0" (60")
Platform W	5'-10" (70")	6'-8" (80")	6'-8" (80")
Platform D	4'-8" (56")	4'-9" (57")	5'-5" (65")
Hoistway W	8'-0" (96")	8'-10" (106")	8'-10" (106")
Hoistway D	5'-10" (70")	5'-11" (71")	6'-7" (79")
Door Size (WxH)	36" x 84"	42" x 84"	42" x 84"
Speed (Type)	SINGLE (SS/CO)	SINGLE (SS/CO)	SINGLE (SS/CO)

HOME ELEVATORS

- Hydraulic Elevator
- MRL - Machine Room Less



Oracle Elevators have the option not to use the machine room. This means that there is no need for an underground hydraulic cylinder. The machine is small and it's located on top of the hoistway. This equipment saves energy up to 80% when compared to the hydraulic elevator, because it has a smaller sized motor. If you want this product we have a complete brochure with all the information. For elevators with different parameters than shown, please contact us.

RESIDENTIAL ELEVATOR

- Wood and Finishes
- Aluminum or Bronze Fixtures
- Aluminum or Bronze Handrails
- Aluminum or Bronze Sills
- Low Voltage LED Lighting
- Maximum Weight Capacity 950lbs
- Maximum Speed Capacity 40fpm

	Cab Size	Hoistway		Platform	
		Width	Depth	Width	Depth
Type A	36" x 48"	50"	53 1/2"	37 1/2"	49 1/2"
	36" x 60"	50"	65 1/2"	37 1/2"	61 1/2"
	42" x 60"	56"	65 1/2"	43 1/2"	61 1/2"
Type B	36" x 48"	50"	50 1/2"	37 1/2"	48"
	36" x 60"	50"	62 1/2"	37 1/2"	60"
	42" x 60"	56"	62 1/2"	43 1/2"	60"
Type C	36" x 48"	53 5/8"	53 1/2"	42 3/8"	49 1/2"
	36" x 60"	53 5/8"	65 1/2"	42 3/8"	61 1/2"
	42" x 60"	59 5/8"	65 1/2"	48 3/8"	61 1/2"

MRL

	Cab Size	Hoistway	
		Width	Depth
Type A	36" x 48"	52 3/4"	55"
	36" x 60"	52 3/4"	67"
	40" x 54"	56 3/4"	61"

TRACTION ELEVATORS

- MRL - Machine Room Less
- Regular Traction

KEY FEATURES

- Capacity: 2000 – 2500 lbs
- Max Travel: 60 FT.
- Max Stops: 6 Stops
- Speed: 150 fpm
- Car Height: 8', 9' or 10'
- Required Minimum Overhead:
- 13" for 8' cab height
- 14' for 9' cab height
- 15' for 10' cab height
- Pit Required: 5 ft.

MRL 2100 & 2500 LBS

Capacity (LBS)	2100	2100	2500	2500
Door Type	SS	SS	SS-CO	SS-CO
DW	36"	36"	42"	42"
DH	84"	84"	84"	84"
HW	6' 8"	7' 6"	7' 8"	8' 6"
HD	7' 2"	5' 10"	7' 2"	5' 10"
CIW	68"	68"	80"	80"
CID	51"	51"	51"	51"
CH	96"	96"	96"	96"
DH	13' 6"	13' 6"	13' 6"	13' 6"

*Oracle is specialized in product customization. The table above indicates dimensions for standard products, however these are flexible. Contact us.
 *Oracle Elevator reserves the right to change specifications without notice.



MRL

MOVING ESCALATOR

- As Per Requirements



OUR SERVICES

SERVICES


- Monthly Maintenance Contracts
- Emergency Services Available 24/7

MODERNIZATION

- All Types of Existing Elevators & Escalators
- Upgrades for ANSI 17.1 Specifications

REPAIRS & CUSTOMIZATION

- All Types of Existing Elevators & Escalators



HISTORY

Oracle Elevator Company was founded in 2013 by two women who followed the legacy of his father Frank Diaz. His father who was awarded the best knower of vertical transportation in Puerto Rico, with his wife Olga Gerena instructed their four daughters in this great world of elevators. Of his four daughters two of them founded this company, Mildred Diaz Gerena and Laura Diaz Gerena. Mildred Diaz has a Bachelor of Industrial Engineering, has also carried an experience of over 15 years in this industry. Laura Diaz has an education in accounting and business administration, which has more than 10 years in the industry. We are a family company where safe and trusted environment develops.

MISSION

Provide our customers the best product and excellent service. For this purpose we listen to the needs of each consumer and offer alternatives ranging above expectations. Offering products that achieve significant energy savings, which leads us to care for our planet.

VISION

Be the first choice to the consumer for vertical transportation. To obtain a high quality product and service with greater precision. Contributing to the development of society through mobility.



Oracle Elevator Company Corp.
Installation
Maintenance
Repair
Modernization

PO Box 793 Saint Just Station
Saint Just PR 00978

787.639.2610
ldiaz@oraclelevator.com
mdiaz@oraclelevator.com
www.oraclelevator.com

